

Cavotec Fladung GmbH  
Heimbach 26  
DE-63776, Mombris  
Germany



Telephone: +49 6029 97 100  
Telefax: +49 6029 7464  
E-mail: [fladung@cavotec.com](mailto:fladung@cavotec.com)

# Aircraft Tow Bar

---



# Universal Tow Bar

## available tube length:

- 3.150 mm
- 4.430 mm
- 6.885 mm

## accessories:

- adapter torsion
- shock absorber
- pivoting towing eye



steel version

with swing axle

undercarriage with 2 wheels

up and down movement of the towbar with reversing

hydraulic hand pump

pneumatic tyres

adjustable lowering speed with flow control valve

with Nato towing-eye

welded handles

skydrol resistant paint, color customers choice

with locking mechanism for changeable adapterheads



## **Adapter Heads incl. Flange**

for above mentioned Universal-Aircraft-Towbar

overload protection by means of shearpins (tension load and torque load)

incl. Flange for Universal-Aircraft-Towbar

one shearpins included in delivery



# Tow Bar Steel Type

## Aircraft Towbar „Standard“

steel version  
with swing axle  
with rubber bellows to protect swing axle  
undercarriage with pneumatic tyres  
up and down movement of the towbar with reversing hydraulic handpump

adjustable lowering speed with flow control valve

with nato-Toweye  
welded handles  
skydrol resistant paint, colour customers choice  
Adapter Head (incl. Flange) and overload protection by means of shearpins (for tensile load and torque load)  
one set of shearpins included in delivery  
one set of shearpins as spares free-of-charge



# Mini Tow Bar

## Aircraft Towbar „Standard“

steel version  
with swing axle  
with rubber bellows to protect swing axle  
undercarriage with pneumatic tyres  
up and down movement of the towbar with reversing  
hydraulic handpump

adjustable lowering speed with flow control valve

with nato-Toweye  
welded handles  
skydrol resistant paint, colour customers choice  
Adapter Head (incl. Flange) and overload protection by  
means of shearpins (for tensile load and torque load)  
one set of shearpins included in delivery  
one set of shearpins as spares free-of-charge



OS-KOM spol. s r.o.  
Zdíkovská 22, 150 00 Praha 5  
Tel.: 00420 - 257 210 114  
Fax: 00420 - 257 211 935  
E-mail: [oskom@oskom.cz](mailto:oskom@oskom.cz)  
[www.oskom.cz](http://www.oskom.cz)